



# Massachusetts Department of Environmental Protection

## Bureau of Water Resources – Wastewater Management Program

# Sanitary Sewer Overflow Public Notification Plan

## 1. Facility Information

**Important:** When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



Name of Permittee (Facility or System)

Permittee Contact Name

Email Address

Permittee Mailing Address

NPDES Permit # (only for system with a wastewater treatment plant)

Phone Number

System contains (check all that apply):

Collection system  Pump station(s)  Wastewater treatment plant

Location of WWTP discharge, if applicable:

Please attach a map with locations of discharges and affected waterbodies.

## 2. Identification of Environmental Justice Populations

Are there Environmental Justice (EJ) populations that would potentially be affected by your wastewater treatment plant discharge(s) or a sanitary sewer overflow?

Yes  No

If there are EJ populations that would potentially be affected, do 25% or more of households lack English-language proficiency, and at least 5% of the population has speakers who self-identify as “do not speak English very well”?

Yes  No

Provide a list of all languages that notifications will be translated into:

Does your municipality provide translation of municipal documents in the languages listed above?

Yes  No

If you answered “yes” above, does your municipality’s staff provide translation of municipal documents, or are translation services outsourced?

Municipal Staff  Outsourced

## 3. Discharges, Overflows, and Public Notification Content

**When public notification is required:** (check box to affirm)

Permittee is aware that all events covered under 314 CMR 16.03(1)(b-e) require issuance of a public advisory notification.

**Required content of public notification:** (check box to affirm)

Permittee is aware of all required information for public advisory notifications under 314 CMR 16.04(10)

Permittee can meet all requirements of 314 CMR 16.04(10)

Yes  No

If no, please describe in detail which components the permittee is not able to meet, and the measures needed to comply. Include a schedule for compliance.

Components that cannot be met

Schedule for compliance (attach schedule)



**Massachusetts Department of Environmental Protection  
Bureau of Water Resources – Wastewater Management Program  
Sanitary Sewer Overflow Public Notification Plan**

---

#### **4. Required Timeline for Notification**

**Discovery of a Discharge or Overflow:**

Permittee can discover an event under 314 CMR 16.04(5)(b) & (c) within the required timeline?  Yes  No

If no, specify limitations to meeting these requirements and potential remedies:

---

**Issuance of Public Notification:**

Permittee can meet the notification requirements in 314 CMR 16.04(4)  Yes  No

If no, why and what measures are needed for compliance?

---

**Continuation of Public Notification:**

Permittee can meet the notification requirements in 314 CMR 16.04(7)  Yes  No

If no, which requirement cannot be met and what measures are needed for compliance?

---

**Cessation of Public Notification:**

Permittee can meet the notification requirements in 314 CMR 16.04(8)  Yes  No

If no, why, and what measures are needed for compliance?

---

**Retraction of Public Notification:**

Permittee can meet the notification requirements in 314 CMR 16.04(9)  Yes  No

If no, which requirement cannot be met and what measures are needed for compliance?

---

---

#### **5. Website, Subscriber-Based System, and Recipients**

Provide the URL for the website where you will post public notifications:

---

Attach description for the subscriber-based system where the public can sign up to receive notifications.

---



**Massachusetts Department of Environmental Protection**  
Bureau of Water Resources – Wastewater Management Program  
**Sanitary Sewer Overflow Public Notification Plan**

---

## **5. Website, Subscriber-Based System, and Recipients (Cont.)**

Provide link where the public can subscribe for notifications (if different than the website listed above).

---

List the two media outlets serving the area near the discharge or outfall that the permittee will contact to provide a public notification. Include name of organization, name of contact, and contact's email address or fax number.

---

Media Outlet #1

---

Media Outlet #2

Does one of these media outlets serve the EJ population?

Yes  No

If no, then provide at least one additional news organization that primarily serves the EJ population(s) within the impacted municipalities. Include name of organization, name of contact, and contact's email address or fax number.

---

**See Instructions for list of Required Public Notification Recipients (314 CMR 16.04(4)(a)). Please attach list of your required contacts.**

---

### **Certification**

I attest that I have examined and am familiar with the information contained in this submittal, including any and all documents accompanying this certifying statement. The information contained in this submittal is, to the best of my knowledge, true, accurate, and complete. I am fully authorized to make this attestation on behalf of the facility.

---

Print Name

*Maurice Goulet*

---

Signature

---

Title

---

Date

## List of Departments to be notified

1. Medfield Board of health (Nancy Bennotti (508-906-3006)
2. Medfield Water Department Superintendent (David O'Toole 508-906-3302)
3. [Massdep.sewagenotification@mass.gov](mailto:Massdep.sewagenotification@mass.gov) DEP
4. [R1.EPANotifications@epa.gov](mailto:R1.EPANotifications@epa.gov) EPA
5. [DPHToxicology@mass.gov](mailto:DPHToxicology@mass.gov) Dept of Public Health
6. [MEMA.StateControl@mass.gov](mailto:MEMA.StateControl@mass.gov) DCR
7. [Doug.cameron@mass.gov](mailto:Doug.cameron@mass.gov) Division of Fisheries & Wildlife
- 8.

## Treatment Plant & Outfall

Write a description for your map.

### Legend

- Feature 1
- Feature 2
- Sluggers Academy



Google Earth

Image Landsat / Copernicus